

TURIOS

Electric wheelchair with rear wheel drive.



VERMEIREN Polska



Delivery address

Buyer:

Ref.

basic price

ЦЕНА/EUR

2530

CONFIGURATION

Driving motors

6 km/h	<input type="checkbox"/>	-	-	
10 km/h	<input checked="" type="checkbox"/>	-	465	

Seat width

cm	39 <input type="checkbox"/>	45 <input type="checkbox"/>	51 <input type="checkbox"/>	-	-	
----	--------------------------------	--------------------------------	--------------------------------	---	---	--

Seat depth

size of standard version of wheelchair

cm	38 <input type="checkbox"/>	40 <input type="checkbox"/>	42 <input type="checkbox"/>	44 <input type="checkbox"/>	46 <input type="checkbox"/>	48 <input type="checkbox"/>	50 <input type="checkbox"/>	-	-	
----	--------------------------------	--------------------------------	--------------------------------	--------------------------------	--------------------------------	--------------------------------	--------------------------------	---	---	--

size of wheelchair with electric seat and back inclination

cm	43 <input type="checkbox"/>	45 <input type="checkbox"/>	47 <input type="checkbox"/>	49 <input type="checkbox"/>	51 <input type="checkbox"/>	-	-	-	-
----	--------------------------------	--------------------------------	--------------------------------	--------------------------------	--------------------------------	---	---	---	---

Seat height

size of standard version of wheelchair

	44 <input type="checkbox"/>	49 <input type="checkbox"/>	54 <input type="checkbox"/>	-	-	
--	--------------------------------	--------------------------------	--------------------------------	---	---	--













size of wheelchair with electric seat and back inclination











	53 <input type="checkbox"/>	56 <input type="checkbox"/>	59 <input type="checkbox"/>	-	-
--	--------------------------------	--------------------------------	--------------------------------	---	---

BATERRIES



50 Ah	<input checked="" type="checkbox"/>	-	-
-------	-------------------------------------	---	---
















Joystick & Armrests					
controller					
R	Right side	<input type="checkbox"/>	-	-	
L	Left side	<input type="checkbox"/>	-	-	
Controller fixation					
standard	FIXED	<input type="checkbox"/>	-	-	
SE53	Swing away(outside) This solution allows the wheelchair to access to the table freely.	<input checked="" type="checkbox"/>		65	
Controller's options					
LE	Controller - driving only, handlebar on the front of the joystick.	<input type="checkbox"/>	-	-	
SE 11	Controller - driving only, handlebar on the back of the joystick.	<input type="checkbox"/>	-	-	
LINX	Controller that allows to use additional features	<input checked="" type="checkbox"/>		220	
LINX LCD	Controller that allows to use additional features with display LCD	<input type="checkbox"/>		580	
Armrest & Elbow rest					
	Elbow armrest PU	<input type="checkbox"/>	-	-	
	Elbow armrest bent at the end PU	<input type="checkbox"/>		55	
	Elbow armrest comfort - SOFT	<input type="checkbox"/>		55	
B66S	<i>Vacuum armrest for hemiplegics, modified STABILO (stabilizing for arm), not compatible with B15</i>				
	Right	<input type="checkbox"/>		200	
	Left	<input type="checkbox"/>		200	
Footrest					
B06	double-plate removable footrests	<input type="checkbox"/>		-	
BA6	double-plate removable footrests -shorter for 7 cm	<input type="checkbox"/>		-	
BK6	one-plate removable footrest	<input type="checkbox"/>		75	
BL6	one-plate removable footrest - shorter 7 cm	<input type="checkbox"/>		75	
BK7	Stump support with adjustable angle - right	<input type="checkbox"/>		60	
BL7	Stump support with adjustable angle - left	<input type="checkbox"/>		60	

MANUALLY ADJUSTABLE FOOTRESTS						
Right side						
B08	adjustable footrest up to the horizontal level with calf muscle support.	<input type="checkbox"/>		75		
Left side						
B08	adjustable footrest up to the horizontal level with calf muscle support.	<input type="checkbox"/>		75		
Right side						
BZ7	adjustable footrest up to the horizontal level with calf muscle support and with knee protection - CRTHO	<input type="checkbox"/>		75		
BZ8	adjustable footrest up to the horizontal level with calf muscle support and with knee protection - CRTHO - shorter 7 cm	<input type="checkbox"/>		75		
Left side						
BZ7	adjustable footrest up to the horizontal level with calf muscle support and with knee protection - CRTHO	<input type="checkbox"/>		75		
BZ8	adjustable footrest up to the horizontal level with calf muscle support and with knee protection - CRTHO - shorter 7 cm	<input type="checkbox"/>		75		
One-plate footrest with adjustable angle and calf muscle support.						
Bz10	One-plate footrest with adjustable angle and calf muscle support.	<input type="checkbox"/>		155		
Additional footrest options.						
B19	Feet safety straps	<input type="checkbox"/>		20		
U77Neo	Neoprene belt stabilizing an ankle.	<input type="checkbox"/>		140		
Colors (Frame)						
C5	 black matt	<input type="checkbox"/>		-		
C76	 White	<input type="checkbox"/>		-		
C77	 black glossy	<input type="checkbox"/>		-		
C79	 blue	<input type="checkbox"/>		-		
C85	 green	<input type="checkbox"/>		-		
C87	 orange	<input type="checkbox"/>		-		
C4	 red	<input type="checkbox"/>		-		
	Customized color	<input type="checkbox"/>		126		
Seat						
Upholstery						
	Nylon	<input checked="" type="checkbox"/>		-		
	Dartex (grey) <i>it is waterproof, semi-permeable and anti-fungal, ideal for machine wash and dry cleaned.</i>	<input type="checkbox"/>		-		
	3D net (black) <i>It allows free flow of air and prevents excessive sweating. In addition, the AIRFLOW material is pleasant in touch and the cushion cover can be machine washed.</i>	<input type="checkbox"/>		-		
	3D net / cordura (black) <i>The unique combination of 2 reliable material, linking the best features of both them. All elements exposed to special wear made from Cordura, while the others are made of breathable material.</i>	<input type="checkbox"/>		70		

	Cordura <i>It provides excellent stain resistance and colorfastness properties as well as long-lasting, durable wear performance compared to other materials.</i>	<input type="checkbox"/>		125	
	Skai (black) <i>Artificial leather</i>	<input type="checkbox"/>	-	-	
B23	Flat cushion 4 cm, with velcro straps	<input type="checkbox"/>	-	-	
B23P	Shaped cushion made of foam in a cover.	<input type="checkbox"/>		40	
VICAIR LIBERTY	VICAIR pneumatic cushion	<input type="checkbox"/>		115	
VICAIR PROFILE	VICAIR pneumatic cushion with pelvis stabilizer	<input type="checkbox"/>		180	
L35	Cushion Contur with velcro straps	<input type="checkbox"/>		125	
VICAIR MULTIFUNCTIONAL O2	5-chamber pneumatic cushion VICAIR MULTIFUNCTIONAL O2 - 6 cm	<input type="checkbox"/>		380	
VICAIR VECTOR O2	8-chamber pneumatic cushion VICAIR VECTOR O2 - 6 cm	<input type="checkbox"/>		340	
	8-chamber pneumatic cushion VICAIR VECTOR O2 - 10 cm	<input type="checkbox"/>		340	
VICAIR POMMEL O2	5-chamber pneumatic cushion VICAIR POMMEL O2- 10 cm	<input type="checkbox"/>		580	
VICAIR CENTRE RELIFE O2	5-chamber pneumatic cushion VICAIR CENTRE RELIFE - 10 cm	<input type="checkbox"/>		405	
VICAIR ACTIVE O2	5-chamber pneumatic cushion VICAIR ACTIVE O2- 6 cm	<input type="checkbox"/>		340	
VICAIR ACTIVE O2	5-chamber pneumatic cushion VICAIR ACTIVE O2- 9 cm	<input type="checkbox"/>		340	
Backrest					
Upholstery					
	Nylon	<input checked="" type="checkbox"/>		-	
	Dartex (grey) <i>it is waterproof, semi-permeable and anti-fungal, ideal for machine wash and dry cleaned.</i>	<input type="checkbox"/>		-	
	3D net (black) <i>It allows free flow of air and prevents excessive sweating. In addition, the AIRELOW material is pleasant in touch and the cushion cover can be machine washed.</i>	<input type="checkbox"/>		-	
	3D net (black) / cordura <i>The unique combination of 2 reliable material, linking the best features of both them. All elements exposed to special wear made from Cordura, while the others are made of breathable material.</i>	<input type="checkbox"/>		70	
	Cordura <i>It provides excellent stain resistance and colorfastness properties as well as long-lasting, durable wear performance compared to other materials.</i>	<input type="checkbox"/>		125	
	Skai (black) <i>Artificial leather</i>	<input type="checkbox"/>		-	
L34 Tube	The backrest of the Contour type on a wooden board				
	Height of backrest				
	53 cm	<input type="checkbox"/>		135	
	higher backrest 65 cm - extra fee	<input type="checkbox"/>		50	
	higher backrest 70 cm - extra fee	<input type="checkbox"/>		50	
higher backrest 75 cm - extra fee	<input type="checkbox"/>		50		

L34 Tub Ergo		<input type="checkbox"/>		60	
L44 Velcro		<input type="checkbox"/>		-	
L44+B23	P - 4 cm L44 Velcro	<input type="checkbox"/>		-	
L34	Shaped backrest cushion type kontur - height 53 cm	<input type="checkbox"/>		125	
Vicair Multifunctional	Vicair Multifunctional	<input type="checkbox"/>		530	
BASE	STABILO backrest system - vacuum backrest forming.	<input type="checkbox"/>		375	
COMFORTABLE PLUS	STABILO backrest system - vacuum backrest forming, Comfortable plus	<input type="checkbox"/>		430	
Torso support TARTA® mounted on the backrest frame.					
5S	5 vertebrae standard	<input type="checkbox"/>		1450	
5C	5 vertebrae contour	<input type="checkbox"/>		1450	
6S	6 vertebrae standard	<input type="checkbox"/>		1535	
6C	6 vertebrae contour	<input type="checkbox"/>		1535	
Wheels & Tyres					
Front wheels 10" (260)					
	Pneumatic, black tire, black rim , tyre tread - block (terrain)	<input type="checkbox"/>			
	Pneumatic, black tire, black rim, tyre tread - line (smooth)	<input checked="" type="checkbox"/>		-	
	Anti-puncture, black tire, black rim - PU, tyre tread - block	<input type="checkbox"/>		130	
	Anti-puncture, black tire, black rim - PU, tyre tread - line (smooth)	<input type="checkbox"/>		130	
Rear wheels (3.00 x 8)					
	Pneumatic, black tire, black rim , tyre tread - block (terrain)	<input checked="" type="checkbox"/>			
	Pneumatic, black tire, black rim, tyre tread - line (smooth)	<input type="checkbox"/>		-	
	Anti-puncture, black tire, black rim - PU, tyre tread - block	<input type="checkbox"/>		130	

Seat and Backrest regulations					
SE30	Manual step adjustment of the seat angle	<input checked="" type="checkbox"/>		-	
SE34	Manual step angle adjustment of backrest	<input checked="" type="checkbox"/>		-	
SE39	The automatic step-less adjustment of the seat angle (6 °) and the backrest (30 °) (two actuators) <i>Only available with LINX or LINX LCD controller</i>	<input type="checkbox"/>		1260	
SE40	The automatic step-less adjustment of the seat angle (6 ° - 1 actuator) <i>Only available with LINX or LINX LCD controller</i>	<input type="checkbox"/>		635	
SE41	The automatic step-less adjustment of the backrest angle (30 ° - one actuator) <i>Only available with LINX or LINX LCD controller</i>	<input type="checkbox"/>		635	
Other options					
Se 01	mudguards	<input checked="" type="checkbox"/>		-	
B15	Plexiglass table (transparent) not compatible with the mirror SE74 and SE74A and armrests B66 and B66S.	<input type="checkbox"/>		125	
B15A	A table made of ABS (black) <i>not compatible with the SE74 and SE74A mirror and the B66 and B66S armrests.</i>	<input type="checkbox"/>		70	
B22	Abduction wedge	<input type="checkbox"/>		85	
B31	Crutch holder	<input type="checkbox"/>		85	
B58	Safety belt	<input checked="" type="checkbox"/>		-	
L04	Lateral support stabilizing the torso (<i>works only with the L34 backrest on an upholstered wooden board</i>)				
	Right big	<input type="checkbox"/>		72	
	Right small	<input type="checkbox"/>		72	
	Left big	<input type="checkbox"/>		72	
	Left small	<input type="checkbox"/>		72	
	Lateral support stabilizing the torso (<i>works with all types of backrests</i>)				
	Right big	<input type="checkbox"/>		270	
	Right small	<input type="checkbox"/>		270	
Left big	<input type="checkbox"/>		270		
Left small	<input type="checkbox"/>		270		
L55	Orthopedic headrest adjustable in height, depth, width. It is suitable for L34 backrest on an upholstered wooden board.	<input type="checkbox"/>		140	
L55+B47	Orthopedic headrest adjustable ONLY in height and depth. It is suitable for all types of backrests.	<input type="checkbox"/>		130	
L58	3D orthopedic headrest adjustable in height, depth, width and rotatable. It is suitable for L34 backrest on an upholstered wooden board.	<input type="checkbox"/>		171	
L58+B47	3D orthopedic headrest adjustable in height, depth, width and rotatable. It is suitable for all types of backrests.	<input type="checkbox"/>		165	
SE19 *	LED lights	<input checked="" type="checkbox"/>		230	

* If you choose the LE joystick, the lighting module is a separate panel.					
* If you choose the LINX or LINX LCD joystick, there is no separate lighting panel.					
Special controllers					
SE02	Table control <i>(Requires ordering LINX LCD driver)</i>	<input type="checkbox"/>		335	
SE04	Chin control (only driving + lighting) <i>(Requires ordering the LINX LCD driver)</i>	<input type="checkbox"/>		1480	
SE08	Joystick mounted on the push handle.	<input type="checkbox"/>		115	
SE09	Additional joystick for accompanying person <i>(2 joysticks)</i>	<input type="checkbox"/>		640	
SE63	Foam ball on the chin controller	<input type="checkbox"/>		95	
SE82	Control buttons located in different places (octopus 2) <i>(Requires ordering the LINX LCD driver)</i>	<input type="checkbox"/>		2115	
SE83	Mini Joystick (minimal pressure) <i>(Requires ordering LINX LCD driver)</i>	<input type="checkbox"/>		4030	
Belts, stabilizing vests					
U173 S	Torso stabilizing vest with zipper	<input type="checkbox"/>		60	
U173 L		<input type="checkbox"/>		70	
U174 S	Torso stabilizing vest without zipper	<input type="checkbox"/>		60	
U174 L		<input type="checkbox"/>		70	
U174 P-S	Vest stabilizing the torso with a zipper with a perineum cover	<input type="checkbox"/>		60	
U174 P-L		<input type="checkbox"/>		70	
U180 S	Abdominal belt	<input type="checkbox"/>		45	
U180 L		<input type="checkbox"/>		50	
U180 P-S	Abdominal belt with perineum cover	<input type="checkbox"/>		62	
U180 P-L		<input type="checkbox"/>		90	
U08 S	Thigh abduction belts	<input type="checkbox"/>		45	
U08 L		<input type="checkbox"/>		50	

U96	Belts stabilizing wrists	<input type="checkbox"/>		36	
-----	--------------------------	--------------------------	--	----	---

STABILIZING AND CORRECTION BELTS made of NEOFLEX – neoprene

PELVIS

Neo 30.01 (old U76 Neo)	Two-point pelvic stabilizing belt	<input type="checkbox"/>		50	
Neo 30.02 (old U75 Neo)	A four-point pelvic stabilizing belt	<input type="checkbox"/>		52	
Neo 30.03 (old U01 Neo)	Abduction belt	<input type="checkbox"/>		95	

TORSO

Neo20.02 (old U73 Neo)	Torso stabilizing vest with a zipper	<input type="checkbox"/>		105	
Neo 20.01 (old U74 Neo)	Torso stabilizing vest without a zipper	<input type="checkbox"/>		75	
Neo 20.06 (old U79 Neo)	Four-point belts stabilizing the torso	<input type="checkbox"/>		65	
Neo 20.07 (old U80 Neo)	A wide belt stabilizing the torso	<input type="checkbox"/>		50	



Wyzeruj formularz cancel all inputs

Wyślij formularz SEND ORDER FORM TO VERMEIREN POLAND